

SCS Global Services does hereby certify that an independent assessment has been conducted on behalf of:

Karndean Designflooring

Crab Apple Way, Vale Park, Evesham, Worcestershire, England WR11 1GP, United Kingdom

For the following product(s):

Vinyl Tile:

Art Select GD, Art Select Rigid Core, Knight Tile Glue Down, Knight Tile Rigid Core, Korlok Reserve, Korlok Select, Opus Glue Down, Palio Core, Van Gogh Glue Down, Van Gogh Rigid Core

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

FloorScore®

Indoor Air Quality Certified to SCS-105 Version 4.2 – 2023

Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m3 (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Registration # SCS-FS-06501

Valid from: March 01, 2025 to February 28, 2026

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, <http://www.scsglobalservices.com/certified-green-products-guide>.



A handwritten signature in black ink.

Diana Kirsanova Phillips, Chief Assurance Officer,
SCS Global Services