VAN GOGH

Taking inspiration from wood and stone found around the world, our Van Gogh range offers a wide selection of designs to choose from. From European oaks to Italian marbles, there are designs to suit both contemporary and rustic interiors.

Karndean



At Karndean, we see flooring differently.
We travel the world in our quest to bring you exceptional floors that inspire and delight. From the ancient forests of Europe, to the remote Australian outback and beyond, we seek out expressive and intriguing forms in the natural world to influence our unique floor designs.

By combining these original features with cutting edge design, we create simply beautiful floors that bring your vision to life. We take our clients on an endless journey of design discovery.

BENEFITS

From large commercial environments to small residential rooms, at Karndean, our vast range of products offer the essential benefits that make our luxury vinyl tiles the perfect choice for any flooring space.

Acoustic qualities
Karndean is quieter underfoot compared to most hard flooring alternatives. Our rigid core products come with a backing that reduces noise transfer to rooms below, making it ideal for apartment blocks and any upstairs rooms.

Installation flexibility
Our dual format designs are available in both gluedown and rigid core formats. With the integration of rigid core technology into a selection of designs, specifiers and designers now have the flexibility to use the same colour but with a choice of format that's suitable for the environment.

Durable
Unlike other flooring alternatives, Karndean gives you the look and feel of natural products but with the durability and resilience of luxury vinyl.

Waterproof
Unlike laminate and engineered hardwoods, our floors are impervious to water and will not swell, crack or warp when wet, making them perfect for kitchens, office tea points and washrooms.

Hygienic
Our floors don't hold dust, dirt, pollen or other allergens. Our cleaning products also kill 99.9% of germs.

K-Guard+®
We use K-Guard+® surface technology for scuff and stain resistance ensuring there is no need to apply an additional surface treatment following installation.

Low maintenance
The commercial cleaning and maintenance regime is simple and can be carried out by hand or using a mechanical cleaning apparatus. With Karndean, you don't have to worry about any sanding, refinishing, staining or varnishing either.

Realistic designs
Inspired by nature, our products are designed in-house and realistically replicate the look and feel of real wood and stone materials.

Tortora Breccia Marble **VGT3018**

KARNDEAN EVOLVE®

Sustainable manufacturing.
Complete supply chain transparency.
Closed loop product life cycles.
And an even stronger commitment
to fair and inclusive workplaces.

Sustainability is a journey that requires a roadmap.

Ours is a detailed model that include size areas of focus.

It's a continuing journey, and there are no shortcuts. But we know now is the time for everyone to begin taking bigger steps. Ours is a promise to think differently, act decisively, and create real change.

It's a promise to Evolve.

Five decades ago, our family-owned business was founded on innovation, bold action and a pioneering spirit. Fifty years later, those same ideals guide us forward. Because the future demands change.

It's time to create a better tomorrow.

Guaranteed quality
Our factories are ISO 9001 certified

Environmental responsibility
ISO 14001 certified for sustainable practices

Transparency
Third-party verified, product and region specific EPDs

Recycled material
Up to 50% recycled material in the backing layers

Long lasting, lower impact
Durable, high quality flooring reduces the need for replacement

Low VOCs
Eurofins Indoor Air Comfort (Gold) certified

Karndean Evolve® is not only about the planet, but it's about the people too.
Six focus areas drive us forward.

01 Confronting climate change

02 Health and wellbeing

03 Sustainable use of resources

04 Diversity and inclusion

05 Supply chain transparency

06 Education

Karndean evolve®

WE'RE CREATING A BETTER TOMORROW.

Scan here to learn more

A+ A+ A B C
Information sur le niveau d'émission de substances volatiles dans l'air intérieur, presentant un risque de toxicité par inhalation, sur une echelle de classe allant de A+ (tres faibles émissions) à C (fortes emissions).

NSF SILVER CERTIFIED NSF/ANSI 332 Sustainable Resilient Flooring

PVC STEWARDSHIP

MEMBER 2020–2021 NZGBC

mindful MATERIALS

vinyl MADE USING BEST ENVIRONMENTAL PRACTICE™

DUAL FORMAT

Discover versatility with our Van Gogh dual format range, featuring both wood and stone patterns.

Offering a selection of designs in an additional rigid core format, Van Gogh ensures that specification requirements can be met without compromising style. Specify the gluedown format for areas where intricate layouts are preferred and choose rigid core for applications that require enhanced acoustics or reduced installation time.

Why gluedown?

Available in a wide range of designs, colours, textures and sizes

Use our cutting service to create a bespoke look

Why rigid core?

Hides subfloor imperfections

Superior acoustics between storeys (21dB)

Quick and easy to install



HANDCRAFTED EMBOSS

A selection of our Van Gogh designs have been finished with a handcrafted emboss to ensure that each plank is inherently unique and thereby accentuating the natural aesthetics of the wood which inspired it. Look out for our natural wood grain icon to see which of our designs benefit from this natural finish.

Golden Brushed Oak **VGW122T** | **SM-VGW122T**

SMALL PLANKS

Designed to introduce more personality and elegance to commercial environments, Van Gogh herringbone offers a wide range of timeless and stylish LVT options. Available in 457mm x 114mm planks, or a larger 711mm x 178mm size, these planks allow for a more contemporary take on the traditional parquet pattern.



Classic Oak **SM-VGW86T**

WOOD

Gluedown: 1422mm x 228mm | 711mm x 178mm

Rigid core: 1420mm x 225mm | 708mm x 177mm

Neutral Brushed Oak*
VGW126T | SM-VGW126T

Texas White Ash
VGW8105
RKP8105 | SM-VGW8105-RKP

Grey Brushed Oak*
VGW120T | SM-VGW120T
SM-VGW120T-RKP

Canadian Nude Oak
VGW8117
RKP8117

Warm Ash
VGW8103

Canadian Urban Oak
VGW8116
RKP8116 | SM-VGW8116-RKP

*Also available in herringbone planks

Gluedown: 1422mm x 228mm

Rigid core: 1420mm x 225mm

Texas Grey Ash
VGW8239

Croftmore Oak
VGW8240

Glenmore Oak
VGW8237

Baltic Mistral Oak
VGW8112
RKP8112

Salvaged Barnwood
VGW123T

Antique French Oak
VGW8110
RKP8110

Gluedown: 1422mm x 228mm | 711mm x 178mm

Rigid core: 1420mm x 225mm | 708mm x 177mm

Warm Brushed Oak*
VGW121T | SM-VGW121T
VGW121T-RKP | SM-VGW121T-RKP

Baltic Washed Oak
VGW8101
RKP8101

Hayfield Oak
VGW8241

Baltic Limed Oak
VGW8111
RKP8111

English Character Oak
VGW8115
RKP8115

Golden Brushed Oak*
VGW122T | SM-VGW122T
VGW122T-RKP | SM-VGW122T-RKP

*Also available in herringbone planks

Gluedown: 1219mm x 178mm | 457mm x 114mm

Country Oak*
VGW81T | SM-VGW81T

Distressed Oak
VGW82T

Ebony
VGW89T

*Also available in herringbone planks

Gluedown: 1219mm x 178mm | 457mm x 114mm

Auckland Oak
VGW52T

Hessian Oak
VGW93T

Wellington Oak
VGW53T

Smoked Oak
VGW70T

Cocoa Apres Oak*
VGW145T | SM-VGW145T



Walnut
VGW87T

*Also available in herringbone planks

Gluedown: 1219mm x 178mm | 457mm x 114mm

Honey Apres Oak*
VGW147T | SM-VGW147T

Sable Apres Oak*
VGW146T | SM-VGW146T

Classic Oak*
VGW86T | SM-VGW86T

Sable Apres Oak **VGW146T** | **PAN-VGW146T** with DS26 10mm design strip

*Also available in herringbone planks

Gluedown: 610mm x 610mm

Honey Apres Oak
PAN-VGW147T

Sable Apres Oak
PAN-VGW146T

Cocoa Apres Oak
PAN-VGW145T

A classic panel for contemporary spaces

Our new Pavilion panels are engineered for commercial environments, featuring a precision directional emboss and refined surface bevel that deliver a clean, high-end finish. Designed to elevate large scale spaces, they combine the look of premium craftsmanship with the durability and consistency required for contemporary and traditional commercial interiors.

Try using panels within feature areas, introduce subtle wayfinding or frame spaces with complementary planks.



Gluedown: 457mm x 610mm

Venetian Slate
VGT2423

Roman Slate
VGT2422

STONE

Gluedown: 457mm x 610mm

Rigid core: 457mm x 600mm

Frosted Stone
VGT2401
RKT2401

Cotswold Stone
VGT2405
RKT2405



Volcanic Black
VGT2406
RKT2406

Pebble Grey
VGT2410

Palazzo Marble
VGT2413

Milanese Slate
VGT2420

Gluedown: 457mm x 914mm

Bianco Breccia Marble
VGT3021

Tortora Breccia Marble
VGT3018



Grigio Breccia Marble
VGT3019

Bianco Breccia Marble **VGT3021**

TECHNICAL SPECIFICATION

	Standard	Gluedown result	Rigid core result
Size	EN ISO 24342	1219.2 mm x 177.8 mm (48.0" x 7.0") 1422.4 mm x 228.6 mm (56.0" x 9.0") 711.2 mm x 177.8 mm (28.0" x 7.0") 609.6mm x 609.6mm(24.0" x 24.0") 457.2 mm x 609.6 mm (18.0" x 24.0") 457.2 mm x 914.4 mm (18.0" x 36.0") 457.2 mm x 114.3 mm (18.0" x 4.50")	1420.0 mm x 225.0 mm (55.91" x 8.86") 708.0 mm x 177.0 mm (27.87" x 6.97") 457.0 mm x 600.0 mm (17.99" x 23.62")
Thickness	EN ISO 24346	3.0 mm	6.5 mm
Wear layer	EN ISO 24340	0.55 mm	0.55 mm
Locking mechanism		N/A	5G® fold down installation system[1,2]
Surface treatment		K-Guard+® PU coating	K-Guard+® PU coating
Warranty*	Light industrial Commercial Residential	15 years 15 years Lifetime warranty	N/A 15 years Lifetime warranty
Bevelled edge		Micro	Micro
Mass per unit area	EN ISO 23997	5187 g/m²	7480 g/m²
Standards	EN ISO 10582 EN 16511	Pass –	– Pass (Multilayer modular floorcovering panels)
Classification	EN ISO 10874: Light industrial Commercial Domestic	 42: Light industrial general 33: Commercial heavy 23: Domestic heavy	 N/A 33: Commercial heavy 23: Domestic heavy
Reaction to fire	EN 13501-1	B_{fl}-s1	B_{fl}-s1
Staining resistance	EN ISO 26987 / EN 438-2	Excellent	Pass (Grade 5)
Light fastness	EN ISO 105-B02	Pass (≥ 7)	Pass (≥ 6)
Abrasion resistance	EN 660-2 EN ISO 10582 EN 13329 Annex E	Group T Type 1 –	– – Pass (> 4000 cycles)
Furniture chair leg	EN 424	N/A	Pass (No visible damage)
Flexibility	EN ISO 24344	Pass	N/A
Dimensional stability	BS EN ISO 23999	Pass (≤ 0.25%)	Pass (< 0.25%)
Swelling	ISO 24336	–	Pass (0.2%)
Acoustic impact noise reduction	EN ISO 717-2 / EN ISO 140-8 EN ISO 10140-1:2016	ΔL_W = 4 dB –	– ΔL_W = 21 dB
Electrical behaviour body voltage	EN 1815	Pass	N/A
Indentation - residual	EN ISO 24343-1	Pass (≤ 0.1 mm)	Pass (≤ 0.1 mm)
Castor chair continuous use	EN 425/ISO 4918	Pass	Pass (25,000 cycles)
Thermal resistance	ISO 8302 Underfloor heating	0.0118 m²K/W Suitable. Max 27°C	0.0515 m²K/W Suitable.Max 27°C
Slip resistance**	EN 13893 EN 16165 Annex B/DIN 51130	DS R10	DS R10

1 5G® is a patented technology invented by Välinge Innovation AB. The 5G® word mark and logo are registered trademarks owned by Välinge Innovation AB and any use of such marks is under license.

2 5G® short edge; 2G™ long edge except SM-VGW121T-RKP and SM-VGW122T-RKP which are modified 2G™ on short edge and standard 2G™ on long edge.

* Subject to terms. Please see our website.

** Slip resistance is measured on freestanding ex-factory product. Slip resistance can be affected by many factors, including but not limited to; product installation and underlayment, surface contamination, use, wear and how the product is maintained. Textural variation along the surface of the product can affect nominal values.

Colour and Pattern Reproduction

We are careful to make sure our brochures are accurate and printed to very high standards, but photography and printing cannot always create a perfect representation of our products. For this reason we strongly recommend that you look at a sample of any product you are considering before placing your order.

All of our products are inspired by things we have seen in the natural world. Just as variation in colour and detail is part of the unique beauty of natural materials, it is also a feature of many of our designs. This means that with some of our products you will see natural variation when your floor is laid. If in doubt, ask your business manager to show you a larger sample of the product.

Scan here to view full Van Gogh technical data sheets

Uniclass 2015
Pr_35_57_71_68

CI/SfB
(43) T

3mm | 0.55mm
6.5mm | 0.55mm

Karndean

karndeancommercial.com

Karndean Designflooring, Crab Apple Way,
Vale Park, Evesham, Worcestershire, WR11 1GP

Karndean Designflooring

Karndean Designflooring - Commercial
Call: 0044 (0)1386 820100
Email: commercial@karndean.co.uk
For ROI call: 01 6569887

KD9437UK | COMMVGMFPRES6