

		STANDARD	RESULT
	Size	EN ISO 24342	See separate table
	Thickness	EN ISO 24346	4.5 mm
	Wear layer	EN ISO 24340	0.55 mm
	Surface treatment		K-Guard+® PU coating
	Warranty ¹	Light industrial	15 years
		Commercial	15 years
		Residential	Lifetime warranty
	Bevelled edge		No
	Mass per unit area	EN ISO 23997	7470 g/m ²
	Standards	EN ISO 10582	Pass
	Classification	EN ISO 10874 - Light industrial	42: Light industrial general
		EN ISO 10874 - Commercial	33: Commercial heavy
		EN ISO 10874 - Domestic	23: Domestic heavy
	Reaction to fire	EN 13501-1	Bfl-s1
	Staining resistance	EN ISO 26987	Excellent
	Light fastness	EN ISO 105-B02	Pass (≥ 7)
	Abrasion resistance	EN ISO 10582	Type 1
	Flexibility	EN ISO 24344	Pass
	Dimensional stability	EN ISO 23999	Pass (≤ 0.10%)
	Acoustic impact noise reduction	EN ISO 717-2/EN ISO 140-8	ΔLw = 13 dB
	Indentation - residual	EN ISO 24343-1	Pass (≤ 0.1 mm)
	Castor chair continuous use	ISO 4918	Pass
	Thermal resistance	ISO 8302	0.0245 m ² K/W
	Underfloor heating		Suitable. Max 27°C
	Slip resistance ²	EN 13893	DS
		EN 16165 Annex B/DIN 51130	R10
	Light Reflectance Value (LRV)	BS 8493:2008+A1:2010	See separate table
	Adhesive		Refer to installation instructions
	Environmental	Indoor Air Comfort	Gold
		FloorScore SCS-EC10.3-2014 v4.0	Certified
		Environmental Product Declaration	Type III EPD
		ISO 14001 / ISO 9001	Manufactured in certified facilities

		STANDARD	RESULT
	NBS	Partnerships	National Building Specification
			Royal Institute of British Architects
	CE / DOP	EN 14041	DOP 2017/LL/EN/02
	CA / DOP	BS EN 14041	DOP 2021/UKCA/LL/01
	Recycling		Suitable
	Phthalate free		Yes

¹ Subject to terms see website.

² Slip resistance is measured on ex-factory product. Slip resistance can be affected by surface contamination, use and how the product is maintained.

Plank/Tile	Size (mm)	Size (in)	Box qty (m ²)	Box qty (pieces)	Slip Resistance
Plank	1050.0 x 250.0	41.34" x 9.84"	3.15	12	R10
Tile	500.0 x 610.0	19.69" x 24.02"	3.05	10	R10
Tile	1000.0 x 1000.0	39.37" x 39.37"	50	Half pallet	R10
Tile	1000.0 x 1000.0	39.37" x 39.37"	100	Full pallet	R10

Light Reflectance Values can be found on the following page/s.

Product Code	LRV
LLP92	34
LLP93	7
LLP94	34
LLP95	38
LLP96	11
LLP97	20
LLP99	31
LLP101	28
LLP102	14
LLP103	21
LLP104	12
LLP105	29
LLP106	20
LLP108	31
LLP109	21
LLP110	12
LLP111	12
LLP112	16
LLP113	30
LLT200	19
LLT201	32
LLT202	44
LLT203	8
LLT204	18
LLT205	18
LLT206	18
LLT207	18
LLT212	19
LLT214	47
LLT215	43
LLT216	35
LLT217	20

Product Code	LRV
LLT218	37
LLT219	40
LG-LLT201	32
LG-LLT217	20
LG-LLT219	40
LLP301	20
LLP302	11
LLP303	11
LLP304	31
LLP305	20
LLP306	40
LLP307	21
LLP308	29
LLP310	31
LLP311	58
LLP315	14
LLP317	26